

MAP LEGEND

-  Red Indian Lake Group: Mixture of felsic tuffs, thinly bedded volcanogenic siltstone and shale, and red chert.
-  Red Indian Lake Group: Mafic tuff, agglomerate, pillow lava to massive basalt interlayered with red chert and shale.
-  Wigwam Brook Group: Undivided felsic tuff to lapilli tuff and associated volcanogenic sediments.
-  Sutherlands Pond Group: Rhyolite breccias, aphyric to quartz-phyric flows or intrusion, and felsic tuff.
-  Massive sulphides.
-  Sericite-silica-pyrite alteration zones. Gradational with felsic volcanic rocks (yellow unit).
-  Sediments (includes graphitic black argillite and shales, siltstones, and greywacke)
-  Mixture of light grey-brown, intermediate to felsic pyroclastic rocks and associated epiclastic sediments. Minor mafic volcanics.
-  Chloritic argillites
-  Undivided light grey-brown felsic to intermediate volcanoclastic tuffs. Minor mafic volcanics. Locally includes massive sulphide deposits.
-  Intermediate to mafic volcanoclastic tuffs. Minor un-separated silicic tuffs. Includes Tulks Hill and Baxters Pond Basalts.
-  Massive Sulphides projected to surface
-  Diamond Drill Holes
-  Water
-  Grid Line
-  Roads and trails

